NAEC
1
FIREFIGHTERS' OPERATION
1
CALL CONNECTED
WHEN FLASHING

SUMMARY

CAB OPTIONS

Wall type: StainlessWall

COP: COPPlaceholder

Position indicator: PI Blue

Pushbuttons: US89

Direction indicator: DI Segment

Panels: 4 total: BambooGold

Handrails: 2.5" Flat

Ceiling: Framed Translucent Panels

Floor: MarbleTileFloor

Size ID: 910

Capacity / clear interior dimensions: Not specified

Doors: LH-SS; RH-2SP

Clearance (export units): 0.914

SERVED FLOORS

*1, 2, 3, 4, 5, 6, 7, 8



Cab outline (schematic; locations not mapped)

NAEC
1

CAB OPERATING PANEL

TYPE

COPPlaceholder

FINISH

Not specified

POSITION INDICATOR

PI Blue

PUSHBUTTON STYLE

US89

FIRE SERVICE

Not specified

SURROUND

Round Flush

ACCESSORIES

Not specified



Cab outline (schematic; locations not mapped)

7
8
5
6
3
4
★1
2

PUSHBUTTON

TYPE

US89

FINISH

Not specified

ILLUMINATION

Not specified

TACTILE STYLE

Not specified

FLOORS

*1, 2, 3, 4, 5, 6, 7, 8

ADDITIONAL

Not specified



Cab outline (schematic; locations not mapped)



DIRECTION INDICATOR

TYPE

DI Segment

FINISH

Not specified

ILLUMINATION COLOUR

Not specified



Cab outline (schematic; locations not mapped)



PANEL

TYPE IDS (QUANTITY)

BambooGold (4)

FINISH

Not specified

TRIM PRESENT

No

PHYSICAL HEIGHT

Not specified

TOTAL COUNT

4



Cab outline (schematic; locations not mapped)





HANDRAIL

TYPE

2.5" Flat

FINISH IDS

Brushed Steel

LENGTH (EXPORT UNITS)

1.154

BUMPER RAIL

No



Cab outline (schematic; locations not mapped)




NAEC
1
FIREFIGHTERS' OPERATION

CEILING

TYPE

Framed Translucent Panels

FINISH

Not specified

LIGHTING

Not specified

FRAME

Not specified

CEILING HEIGHT

Not specified





Cab outline (schematic; locations not mapped)