
NAEC
1
FIREFIGHTERS' OPERATION
1

SUMMARY

CAB OPTIONS

Wall type: StainlessWall

COP: COPPlaceholder

Position indicator: PI Black

Pushbuttons: US91BB Steel

Direction indicator: DI Segment

Panels: 7 total: Pearl; OysterGrey

Handrails: Ballnose 2" Round

Ceiling: Framed Translucent Panels

Floor: DarkTileFloor

Size ID: 2275P


Capacity / clear interior dimensions: Not specified

Doors: CO-SS

Clearance (export units): 1.219

SERVED FLOORS

*1, 2, 3, 4, 5, 6, 7, 8



Cab outline (schematic; locations not mapped)


NAEC
FIREFIGHTERS' OPERATION

CAB OPERATING PANEL

TYPE

COPPlaceholder

FINISH

Not specified

POSITION INDICATOR

PI Black

PUSHBUTTON STYLE

US91BB Steel

FIRE SERVICE

Not specified


SURROUND

Julius Flush

ACCESSORIES

Not specified





Cab outline (schematic; locations not mapped)


8
7
6
5
4
3
★1
2

PUSHBUTTON

TYPE

US91BB Steel

FINISH

Not specified

ILLUMINATION

Not specified

TACTILE STYLE

Not specified


FLOORS

*1, 2, 3, 4, 5, 6, 7, 8


ADDITIONAL

Not specified





Cab outline (schematic; locations not mapped)


AEC

DIRECTION INDICATOR

TYPE


DI Segment

FINISH

Not specified

ILLUMINATION COLOUR

Not specified



Cab outline (schematic; locations not mapped)





PANEL

TYPE IDS (QUANTITY)

Pearl (6); OysterGrey (1)

FINISH

Not specified

TRIM PRESENT


No

PHYSICAL HEIGHT


Not specified

TOTAL COUNT

7



Cab outline (schematic; locations not mapped)





HANDRAIL

TYPE

Ballnose 2" Round

FINISH IDS


Brushed Copper

LENGTH (EXPORT UNITS)


1.784; 2.058


BUMPER RAIL

No



Cab outline (schematic; locations not mapped)




NAEC
#1

CEILING

TYPE

Framed Translucent Panels

FINISH

Not specified

LIGHTING


Not specified


FRAME

Not specified

CEILING HEIGHT

Not specified





Cab outline (schematic; locations not mapped)